



DIAPHRAGM PUMP

Diaphragm Pump



vc0100

Airflow & Power Consumption




Specifications


	(SI)	(EURO)	(U.S.A.)
Rated Pressure	0.004 MPa (0.04 kgf/cm²)	0.04 bar	0.57 psig
Rated Airflow	6 l/min		0.21 cfm
Rated Voltage	120 V, AC or 230 V, AC		
Maximum Pressure	0.016 MPa (0.16 kgf/cm²)	0.16 bar	2.27 psig
Power Consumption	6 W		
Rated Frequency	60 Hz or 50 Hz		
Life Expectancy	10,000 hours		
Outlet	6 mm O.D. hose nipple		
Duty Cycle	Continuous		
Coil Insulation Class	E for 230V & A for 120V or its equivalent		
Mounting Dimensions	70 (L) x 72 (W) mm		
Gross Weight	0.45 kg	0.99 Lbs.	
Leadwire Length	300 mm	11-13/16"	

* Life expectancy is the expected accumulated period of time during which the compressor will maintain the above specifications. Contact your supplier for details of the conditions of use under which the values and numbers stated herein are maintained.

Application Examples



Massage Devices



Bedsore Prevention Mattress

Sketch Drawing and Mounting Dimensions Diagram (mm)

